

Sirag watersport
warns

Klipper 1
8721EM
Warns

Tel. 0514-681232
Siragwatersport@gmail.com
www.siragwatersport.nl



Aluminium boats



GREETINGS FROM SWEDEN

Accessories 2019

ARKIP 530 BR • ARKIP 460 • SPORTSMAN 445 B/M/C • SPORTSMAN 400 • SPORTSMAN 355 • FISHING 440 • FISHING 410
INKAS 525 • INKAS 495 • INKAS 465 • INKAS 465L



ARKIP 530 BR



SPORTSMAN 445 CATCH



SPORTSMAN 400 with 9 foot oars



INKAS 525



ARKIP 460



SPORTSMAN 445 MAX



SPORTSMAN 355 with 8 foot oars



INKAS 495



FISHING 440 with 9 foot oars



INKAS 465




SPORTSMAN 445 BASIC with 9 foot oars



FISHING 410 with 8½ foot oars




INKAS 465L



	ARKIP 530 BR	ARKIP 460	SPORTSMAN 445 CATCH	SPORTSMAN 445 MAX	SPORTSMAN 445 BASIC	SPORTSMAN 400	SPORTSMAN 355	FISHING 440***	FISHING 410	
Length	530 cm (576 cm with bathing platform)	460 cm	451 cm	451 cm	451 cm	401 cm	355 cm	431 cm	403 cm	Length
Width	214 cm	185 cm	175 cm	175 cm	175 cm	164 cm	146 cm	164 cm	156 cm	Width
Totalheight	178 cm	142 cm	140 cm	140 cm	73 cm	63 cm	54 cm	60 cm	63 cm	Totalheight
Weight	610 kg	292 kg	252 kg	227 kg	189 kg	125 kg	84 kg	94 kg	75 kg	Weight
Max. weight with motor	838 kg	475 kg	397 kg	372 kg	319 kg	271 kg*	157 kg	139 kg	97 kg	Max. weight with motor
Freeboard height	81 cm	58 cm	50 cm	50 cm	50 cm	47 cm	45 cm	50 cm	50 cm	Freeboard height
Interior height	67 cm	60 cm	60 cm	60 cm	60 cm	60 cm	51 cm	54 cm	57 cm	Interior height
Hull depth	112 cm	80 cm	73 cm	73 cm	73 cm	63 cm	54 cm	60 cm	63 cm	Hull depth
Hull thickness	2.7 mm	2.4 mm	2.0 mm	2.0 mm	2.0 mm	1.8 mm	1.7 mm	1.7 mm	1.7 mm	Hull thickness
Hull angle	16°	12°	9°	9°	9°	8°	2°	–	–	Hull angle
Rec. motor	70–100 hp (51–74 kW)	30–50 hp (22–37 kW)	20–30 hp (14.7–22 kW)	20–30 hp (14.7–22 kW)	10–20 hp (7.4–14.7 kW)	6–10 hp (4.4–7.4 kW) 15–20 hp (11–14.7 kW)**	6–8 hp (4.4–5.9 kW)	2.5–5 hp (1.9–3.7 kW)	2.5–3.5 hp (1.9–2.6 kW)	Rec. motor
Rec. Torqeedo electric drive				Tex Torqeedo Cruise 10.0 R (10.0 kW)				Tex Torqeedo Travel 1003 (1030 W)		Rec. Torqeedo electric drive
Max. motor power	100 hp (74 kW)	50 hp (37 kW)	30 hp (22 kW)	30 hp (22 kW)	20 hp (14.7 kW)	20 hp (14.7 kW)	8 hp (5.9 kW)	5 hp (3.7 kW)	3.9 hp (2.9 kW)	Max. motor power
Control cable length	4.80 m	2.10 m	2.10 m	1.80 m		Side console 1.80 m Mid console 2.70 m				Control cable length
Steering cable length	4.80 m	2.70 m	2.70 m	2.40 m		Side console 2.40 m Mid console 3.30 m				Steering cable length
Shaft length	Long	Long	Long	Long	Long	Long	Short	Short	Short	Shaft length
Max. load	675 kg	525 kg	465 kg	465 kg	484 kg	420 kg	320 kg	400 kg	300 kg	Max. load
Max. no. people	6	5	3	4	4	4	3	4	3	Max. no. people
Approved bow eye	Insurance class 3	Insurance class 3	Insurance class 3	Insurance class 3	Insurance class 3	Insurance class 3	Insurance class 3	Insurance class 3	Insurance class 3	Approved bow eye
Ce marked for category	C – Inshore	C – Inshore	C – Inshore	C – Inshore	C – Inshore	D – Sheltered waters	D – Sheltered waters	D – Sheltered waters	D – Sheltered waters	Ce marked for category
Max. speed	2 persons, 100-hp motor gives approx. 38 knots	2 persons, 50-hp motor gives approx. 32 knots	2 persons, 30-hp motor gives approx. 25 knots	1 person, 30-hp motor gives approx. 26 knots	1 person, 20-hp motor gives approx. 24 knots	1 person, 20-hp motor gives approx. 25 knots	1 person, 8-hp motor gives approx. 19 knots	1 person, 5-hp motor gives approx. 11 knots	1 person, 2-hp motor gives approx. 8 knots	Max. speed




	INKAS 525	INKAS 495	INKAS 465	INKAS 465L
Lengt	525 cm	495 cm	465 cm	465 cm
Width	90 cm	90 cm	85 cm	85 cm
Weight	38 kg	36 kg	33 kg	28 kg
Bow/stern height	35 cm	33 cm	33 cm	33 cm
Load capacity	400 kg	400 kg	340 kg	340 kg
Max. no. people	3	2	2	2
Hull thickness	1.25 mm	1.25 mm	1.25 mm	1 mm



ACCESSORIES		530BR	460	445B	445M	445C	400	355	440	410
1	BOAT CART (MAX. LOAD 150 KG) Art. no. 405000							•	•	•
2	DOWNRIGGER HOLDER Also suitable for echo sounders and GPS. Art. no. 712000	•	•	•	•	•	•	•	•	•
3	WOODEN FLOORING Art. no. 619355 Art. no. 619401 (From 2007) Art. no. 619400 (Up to 2006) Art. no. 619410 Art. no. 619440					•	•		•	
4	ALUMINIUM FLOORING Art. no. 610355 Art. no. 610400					•		•		
5	BOAT PLUG (STANDARD) Art. no. 621000	•	•	•	•	•	•	•	•	•
6	ELECTRIC MOTOR MOUNT (For aluminium motor plate.) Art. no. 712009 Art. no. 712010 Art. no. 712011 (If combining with fishing chair)		•	•	•	•	•	•	•	•
7	ELECTRIC MOTOR MOUNT Mounted on the bow Art. no. 712012 (Up to 2014)	•								

		530BR	460	445B	445M	445C	400	355	440	410
8	FISHING LURE HOLDER, ALUMINIUM Art. no. 211074	●	●	●	●	●	●	●	●	●
9	FISHING CHAIR, COLLAPSIBLE BACK Column and base plate included. Art. no. 719003					●				
10	FISHING CHAIR MOUNT Art. no. 719004					●				
11	BOW STOWAGE DECK For stowing of rope ends and anchor. Also serves as a fishing platform. Art. no. 712020 (Standard on 445 Max from 2014) Not suitable for combining with seat pads (complete set).			●	●					
12	ECHO SOUNDER MOUNTING BRACKET Art. no. 712008		●	●	●	●	●	●	●	●
13	BOW GRAB RAILS/"SHARK FINS" Width: 37 cm. Height: 46 cm. Art. no. 628000		●				●	●	●	●
14	PLASTIC HANDLE Art. no. 811269		●				●	●	●	●




ACCESSORIES		530BR	460	445B	445M	445C	400	355	440	410
15	SPRAY COVER, DRIVABLE Max. speed with car 30 km/h. Waterproof and UV-resistant. Art. no. 302445				•					
16	SPRAY COVER, DRIVABLE Max. speed with car 30 km/h. Waterproof and UV-resistant. Art. no. 302460 (From 2015) Art. no. 302471 (Up to 2014) Does not fit with left-hand console or ski pylon.		•							
17	DOUBLE CONSOLE STERN COVER, DRIVABLE Max. speed with car 30 km/h. Waterproof and UV-resistant. Grey acrylic fabric. Art. no. 302462 (From 2015) Art. no. 302470 (Up to 2014) Does not fit with ski pylon.		•							
18	COVER, DRIVABLE Max. speed with car, 30 km/h. Grey acrylic fabric. Art. no. 302400		•				•			
19	COVER, DRIVABLE Max. speed with car, 30 km/h. Grey acrylic fabric. Art. no. 302440								•	
20	BASIC COVER, HARBOUR, GREY POLYESTER Art. no. 302446 Art. no. 302356 Art. no. 302401 Art. no. 302411 Art. no. 302441			•	•	•		•		•
21	BASIC COVER, HARBOUR, GREY POLYESTER Art. no. 302461 Does not fit with ski pylon.		•							




		530BR	460	445B	445M	445C	400	355	440	410
22	NAVIGATION LIGHT SET Light set, LEDs. For retrofitting to small motor boats. Battery-powered. 1 white all-around light (for stern fitting). 1 green/red/white (for bow fitting). 1 telescopic stand, 100 cm. 1 stand mount. Acid-resistant stainless steel screws included. Art. no. 712800					•	•	•	•	•
23	SECURITY KIT Art. no. 626000	•	•	•	•	•	•	•	•	•
24	LÄNSMAN BILGE PUMP Automatic bilge pump that fits on the mooring line. Easy to install. Practical to take along. Locks into place. Can pump out up to 2,500 litres a day. Art. no. 606600	•	•	•	•	•	•	•	•	•
25	ELECTRIC BILGE PUMP SET For boats with steering console 717400. Includes: Automatic bilge pump, cable trunk, mounting plate and contact breaker for the steering console. Art. no. 718000						•			
26	ELECTRIC BILGE PUMP SET For boats without steering console. Includes: Automatic bilge pump, cable trunk, mounting plate and contact breaker. Art. no. 718001						•			
27	BILGE PUMP – SMART, WAVE-OPERATED To get water out of the boat, simply hang the pump over the side (pump body floating on the water). Wave action then operates the pump. Art. no. 606500	•	•	•	•	•	•	•	•	•



ACCESSORIES		530BR	460	445B	445M	445C	400	355	440	410
1	FISHING DECK CARPET 6 mm thick drainage carpet, UV-resistant. Art. no. 627500					•				
2	MUG HOLDER 2-pack, grey plastic Art. no. 712650	•	•		•	•				
3	MOORING BOLLARD Anodised aluminium. Art. no. 623020						•	•	•	•
4	CONSOLE 460, LEFT-HAND Art. no. 714460 (From 2015) Art. no. 714461 (Up to 2014)		•							
5	CONSOLE COVER Grey acrylic fabric. For right-hand console. Art. no. 302464 (From 2015) Art. no. 302467 (Up to 2014) For left-hand console. Art. no. 302466 (From 2015) Art. no. 302468 (Up to 2014)		•		•	•				
6	GUNWALE BUCKET, 15 LITRES Art. no. 622000	•	•	•	•	•	•	•	•	•
7	RAIL Grip-friendly rail for mounting of accessories. Easy to retrofit. Set of four rails. Aluminium. Art. no. 712030									
8	RESCUE LADDER (RETROFIT) Foldaway, aluminium rescue ladder. Art. no. 712730 Art. no. 712720 Art. no. 712710 Art. no. 712700						•			
9	SEAT CUSHION, STERN Catch, only stern seat cushions Art. no. 627446							•		
10	STERN CUSHION SET - Back cushion - Cushion, side, starboard - Cushion, bow - Cushion, side, port Art. no. 627460									
11	BOW CUSHION SET - Cushion, side, starboard - Cushion, side, port Art. no. 627530	•								



ACCESSORIES		530BR	460	445B	445M	445C	400	355	440	410
12	BOW CUSHION SET - Cushion, side, starboard - Cushion, bow - Cushion, side, port Art. no. 627461		•							
13	SEAT CUSHION, COMPLETE SET, GREY - Stern seat cushions - Midship seat cushions - Bow seat cushions Not suitable for combining with bow stowage deck, art. no. 712020. Art. no. 627445			•	•					
14	BOW CUSHION, SUN DECK Art. no. 627462		•							
15	COMBINED SUN/FISHING DECK In chequered plate. Art. no. 712025		•							
16	FISHING DECK In chequered plate. Art. no. 712026			•	•					
17	SOLAR CELL PACK 1 pcs 35W (2A) marin solar panel 1 pcs charge regulator 1 pcs Battery box Cables, screws and mounting details to the solar panel. Art. no. 712900							•		
18	RATCHET STRAP, 5.5 M Blue polypropylene (with ratchet). Art. no. 612000	•	•	•	•	•	•	•	•	•
19	ROD HOLDER Blue aluminium. Holds the rod in place when fishing. Fits on boat rail. Art. no. 623400	•	•		•	•				
20	ROD HOLDER Rod holder in black plastic. Holds three rods. Art. no. 623000	•	•	•	•	•	•	•	•	•
21	ROD HOLDER MOUNT Rod holder mount Art. no. 623010		•	•	•	•	•	•	•	•
22	ROD HOLDER Holds the rod in place when fishing. Can be mounted and adjusted many ways. Easy to assemble. Art. no. 623100	•	•	•	•	•	•	•	•	•
23	STARTER PACK Contains padlock, 2.5-metre chain (insurance class 3), 6-metre mooring rope, lead weight on 20-metre line with snap-hook, bailer and sponge. Art. no. 625000	•	•	•	•	•	•	•	•	•
24	STEERING CONSOLE, CENTRE, FROM -07 Mounts on reinforcing profiles. Art. no. 715400					•				
25	STEERING CONSOLE, RIGHT-HAND, FROM -07 Mounts to gunwale and reinforcing profile. Space for battery and box inside the console. Art. no. 717400					•				




ACCESSORIES		530BR	460	445B	445M	445C	400	355	440	410
1	TELESCOPIC OUTBOARD HANDLE EXTENSION/TILLER EXTENSION For better trim when alone in the boat, it is advisable to sit on the centre seat. Length: 700 – 1,200 mm. Art. no. 620000								•	•
2	SKI PYLON Art. no. 712500 Cannot be combined with electric motor mount/cover.		•							
3	WINDSCREEN FOR STEERING CONSOLE, FROM 2007 Transparent polycarbonate. 5 mm thick. Fits steering console, art. no. 717400. Art. no. 717401						•			
4	WINDSCREEN FOR STEERING CONSOLE Windscreen. Transparent polycarbonate 5 mm thick. Fits steering console, art. no. 715400. Art. no. 714403						•			
5	WINDSHIELD FOR DOUBLE CONSOLE Waterproof and UV-resistant. Grey acrylic fabric. Art. no. 302463 (From 2015) Art. no. 302469 (Up to 2014)		• •							
6	BAILER In orange plastic. Art. no. 604000	•	•	•	•	•	•	•	•	•


		525	495	465	465L
7	INKAS STRAP, 3.5 M With buckle. Art. no. 612350	•	•	•	•
8	BICYCLE TOWING ASSEMBLY Art. no. 711525	•	•	•	•
9	INKAS WOODEN CANOE SEAT Collapsible. 30x33 cm. Art. no. 601000	•	•	•	•
10	INKAS CANOE CART Strong aluminium design. Solid tyres and fixed bearings. Weight: 6 kg. Load capacity: 100 kg. Art. no. 406000	•	•	•	•

ACCESSORIES		525	495	465	465L
11	INKAS CANOE CART, COLLAPSIBLE Strong aluminium design, solid tyres, fixed bearings. Weight: 6 kg. Load capacity: 100 kg. Art. no. 407000	•	•	•	•
12	KNEE/SEAT PAD Black, heat-retaining polyethylene foam. 50 x 25 x 2 cm. Art. no. 606000	•	•	•	•
13	U-BOLT FOR CANOE Art. no. 612360	•	•	•	•
14	MOTOR BRACKET Suitable for electric motors. Art. no. 605525	•	•	•	•
15	WATERTIGHT PACK SACK (50 LITRES) Watertight pack sack with carrying handle. Easy to close. Art. no. 609000	•	•	•	•
16	PACK BIN (60 LITRES) With sealing lid and handle. Art. no. 610000	•	•	•	•
17	PONTOONS For extra stability (fishing, disabled, etc.). Length: 1,370 mm. Diameter: 220 mm. Art. no. 706525	•	•	•	•
18	ROWING RIG 9-foot oars are recommended. Weight 5 kg. Art. no. 707525	•	•	•	•

		525	495	465	465L
19	BACK SUPPORT Plywood and steel tube (painted grey) backrest. Attaches to seat. Sit more comfortably! Art. no. 605000	•	•	•	•
20	SAIL EQUIPMENT Pram sail (3.5 m²) and complete rigging. Art. no. 708525	•	•	•	•
21	SEAT Wooden seat, no 1* Art. no. 700101 Aluminium seat, no 1 Art. no. 700151 Wooden seat, no. 3* Art. no. 700102 Art. no. 700108 Aluminium seat, no. 3 Art. no. 700104 Art. no. 700106 Wooden seat, no. 4* Art. no. 700103 Aluminium seat, no. 4 Art. no. 700105 Wooden seat, no. 2* Art. no. 700100 Aluminium seat, no. 2 Art. no. 700150 * All wooden seats are oil impregnated and have woven terylene straps. Screws are included.	•	•	•	•
22	REMOVABLE CANOE SEATS With insulated seat pads. To be hung on the cross support. Art. no. 700200	•	•	•	•



ACCESSORIES		525	495	465	465L
1	INKAS CANOE JACKET For swimmers using Canadian canoes. CE approved. Comfortable and hard-wearing. Art. no. 201030 30 – 50 kg Art. no. 201050 50 – 70 kg Art. no. 201090 70 kg upwards	•	•	•	•
2	INKAS CANOE JACKET (ORANGE) For swimmers using Canadian canoes. CE approved. Comfortable and hard-wearing. Art. no. 201100 40-110 kg	•	•	•	•
3	BALTIC LIFEJACKET For non-swimmers and swimmers in coastal/inland waters. CE approved. Good fit. With split front for greater mobility and comfort. Art. no. 205010 3 – 10 kg Art. no. 205015 10 – 20 kg Art. no. 205030 15 – 30 kg Art. no. 205040 30 – 40 kg Art. no. 205050 40 – 50 kg Art. no. 205070 50 – 70 kg Art. no. 205090 70 – 100 kg Art. no. 205100 100 kg upwards	•	•	•	•
4	LINDER BUOYANCY AID For swimmers. CE approved. Convenient to use. With split front for greater mobility and comfort. Art. no. 206051 30 – 50 kg Art. no. 206071 50 – 70 kg Art. no. 206091 70 – 90 kg Art. no. 206101 90 kg upwards	•	•	•	•
5	INKAS PLASTIC PADDLE WITH ALUMINIUM HANDLE Blade and knob of strong polypropene. Blade width: 200 mm. Weight: approx. 850 g. Art. no. 114130 130 cm Art. no. 114140 140 cm Art. no. 114150 150 cm Art. no. 114160 160 cm Art. no. 114170 170 cm Art. no. 114180 180 cm	•	•	•	•
6	INKAS WOODEN PADDLE Manufactured from very high quality fir. Blade width: 150 mm. Weight: approx. 850 g. Art. no. 104100 100 cm Art. no. 104125 125 cm Art. no. 104140 140 cm Art. no. 104150 150 cm Art. no. 104160 160 cm Art. no. 104170 170 cm Art. no. 104180 180 cm	•	•	•	•
7	INKAS DOUBLE PADDLE, DIVISIBLE Art. no. 109225 225 cm Art. no. 109240 240 cm	•	•	•	•
8	DRIP RING Art. no. 111000	•	•	•	•



ACCESSORIES		530BR	460	445B	445M	445C	400	355	440	410
9	SAFETY ROWLOCK (STANDARD) In aluminium. Art. no. 711250			•			•	•	•	•
10	OAR BLADE HOLDER (STANDARD) To hold oar in place. Sold individually. Polyethylene foam. Art. no. 711605			•			•	•	•	•
11	ALUMINIUM ROWLOCK Fitted to oar and then inserted in rowlock mount (which is fitted to the boat). Sold individually. Art. no. 112001			•			•	•	•	•
12	ROWLOCK / ROWLOCK HOLDER FOR GRAB RAIL Art. no. 810819 Rowlock Art. no. 711004 Holder for rowlock		•		•	•				
13	ROWLOCK HOLDER, ANGLED In aluminium. Fits safety or standard rowlock. Standard in Linder boats. Art. no. 711001			•			•	•	•	•
14	PLASTIC SLEEVE FOR ROWLOCK HOLDER Art. no. 711003 Standard Art. no. 711608 Nov 2004 – Oct 2007			•			•	•	•	•
15	OAR SLEEVE Protects oar from wear. Art. no. 112010			•			•	•	•	•
16	ALUMINIUM OARS With plastic blade and handle. Art. no. 113080 8 foot (2.4 m) Art. no. 113085 8.5 foot (2.55 m) Art. no. 113090 9 foot (2.7 m) <i>Rowlock not included.</i>			•				•		•
17	OARS Oars are made of laminated, glued, pine. Art. no. 115050 5 foot (1.5 m) Art. no. 115060 6 foot (1.8 m) Art. no. 115070 7 foot (2.1 m) Art. no. 115080 8 foot (2.4 m) Art. no. 115085 8.5 foot (2.55 m) Art. no. 115090 9 foot (2.7 m)* Art. no. 115100 10 foot (3.0 m) Art. no. 115110 11 foot (3.3 m) Art. no. 115120 12 foot (3.6 m) <i>Rowlock not included.</i> <i>* Applies to 460 and 445M with rowlock mount fitted to rail.</i>		•	•	•	•		•		•



Sirag watersport
warns

Klipper 1
8721EM
Warns

Tel. 0514-681232
Siragwatersport@gmail.com
www.siragwatersport.nl



www.linder.se

Linder Aluminiumbåtar AB

Kanotleden 5, SE-362 32 Tingsryd • Tel: +46 (0)477-190 00 • E-mail: info@linder.se